

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/716,398		11/20/2003	Akira Tokai	1082.1064	5536
21171	7590	06/24/2005		EXAMINER	
STAAS & SUITE 700	HALSE	Y LLP	RAABE, CHRISTOPHER M		
1201 NEW YORK AVENUE, N.W.				ART UNIT	PAPER NUMBER
WASHING	WASHINGTON, DC 20005			2879	
				DATE MAILED: 06/24/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	A 1:(-)					
	Application No.	Applicant(s)					
Office Asticus Occurrence	10/716,398	TOKAI ET AL.					
Office Action Summary	Examiner	Art Unit					
	Christopher M. Raabe	2879					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on							
2a) This action is <b>FINAL</b> . 2b) ⊠ This	_						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) Claim(s) 1-10 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-10 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or							
Application Papers							
9) The specification is objected to by the Examine 10) The drawing(s) filed on 20 November 2003 is/an Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the output of the contraction	re: a) $\square$ accepted or b) $\square$ object drawing(s) be held in abeyance. See ion is required if the drawing(s) is object.	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 11/20/03.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:						

Application/Control Number: 10/716,398

Art Unit: 2879

## Claim Rejections - 35 USC § 103

Page 2

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 1,2,3,7,8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicants' admitted prior art, in view of Todokoro (U.S. Pre-grant Publication 2001/0043170).

With regard to claim 1,

Applicants disclose as prior art a light-emitting tube array display device comprising: a light-emitting tube array constituted of a plurality of light-emitting tubes arranged in parallel with discharge gas filled therein (page 1, lines 10-16); a light-transmitting supporter abutting a display surface side of the light-emitting tube array for supporting the light-emitting tube array and having electrodes formed on its surface

Application/Control Number: 10/716,398

Art Unit: 2879

facing the light-emitting tube array for applying a voltage to the light-emitting tubes (page 1, line 18 – page 2, line 3); and a light-transmitting adhesive layer formed between the supporter and the light-emitting tube array (page 2, lines 4-7).

Applicants do not disclose as prior art the adhesive layer having a refractive index equal to or higher than that of a tube body of each light-emitting tube.

Todokoro does disclose an adhesive layer having a refractive index equal to or higher than that of a tube body of each light-emitting tube (paragraph 176, and 206,219 of fig 13A; see also figs 1,2,14).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate relationship between the indices of refraction disclosed by Todokoro into the light-emitting tube array display device disclosed by the Applicants as prior art in order to reduce optical reflectivity (paragraph 176 of Todokoro).

With regard to claim 2,

Applicants disclose as prior art a light-emitting tube array display device comprising: a light-emitting tube array constituted of a plurality of light-emitting tubes arranged in parallel with discharge gas filled therein (page 1, lines 10-16); a light-transmitting supporter abutting a display surface side of the light-emitting tube array for supporting the light-emitting tube array and having electrodes formed on its surface facing the light-emitting tube array for applying a voltage to the light-emitting tubes (page 1, line 18 – page 2, line 3); and a light-transmitting adhesive layer formed between the supporter and the light-emitting tube array (page 2, lines 4-7).

Applicants do not disclose as prior art the supporter having a refractive index equal to or higher than that of the adhesive layer.

Todokoro does disclose a supporter having a refractive index equal to or higher than that of an adhesive layer (paragraph 176, and 213,219 of fig 13A; see also figs 1,2,14).

Utilizing the reasoning in the rejection of claim 1, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the relationship between the refractive indices disclosed by Todokoro into the light-emitting tube array display device disclosed by the Applicants as prior art.

With regard to claim 3,

Applicants disclose as prior art a light-emitting tube array display device comprising: a light-emitting tube array constituted of a plurality of light-emitting tubes arranged in parallel with discharge gas filled therein (page 1, lines 10-16); a light-transmitting supporter abutting a display surface side of the light-emitting tube array for supporting the light-emitting tube array and having electrodes formed on its surface facing the light-emitting tube array for applying a voltage to the light-emitting tubes (page 1, line 18 – page 2, line 3); and a light-transmitting adhesive layer formed between the supporter and the light-emitting tube array (page 2, lines 4-7).

Applicants do not disclose as prior art the adhesive layer having a refractive index equal to or higher than that of a tube body of each light-emitting tube, and the supporter having a refractive index higher than that of the adhesive layer.

Todokoro does disclose an adhesive layer having a refractive index equal to or higher than that of a tube body of each light-emitting tube, and a supporter having a refractive index higher than that of the adhesive layer.

Utilizing the reasoning in the rejection of claim 1, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the relationship

between the indices of refraction disclosed by Todokoro into the light-emitting tube array display device disclosed by the Applicants as prior art.

With regard to claim 7,

Applicants disclose as prior art the light-emitting tube array display device.

Applicants do not disclose each light-emitting tube having a flat portion provided on its surface facing the supporter and a cross section that allows the flat portion to face at least one electrode of the supporter when the supporter abuts the flat portion.

Todokoro does disclose each light emitting tube having a flat portion provided on its surface facing the supporter and a cross section that allows the flat portion to face at least one electrode of the supporter whet the supporter abuts the flat portion (fig 1).

It would have been obvious to one of ordinary skill at the time of the invention to incorporate the tube shape of Todokoro into the light-emitting tube array display device disclosed by Applicants as prior art in order to simplify manufacturing.

With regard to claim 8,

Applicants disclose as prior art the light-emitting tube array display device, further comprising a resin layer formed in a space among the adjacent light-emitting tubes and the supporter (page 2, lines 4-7).

3. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Applicants' admitted prior art and Todokoro as applied to claim 3 above, and further in view of Bhagavatula et al. (U.S. Patent 5984747) and Koike et al. (U.S. Pre-grant Publication 2003/0176124).

With regard to claim 4,

Applicants disclose as prior art a light-emitting tube array display device.

Applicants do not disclose as prior art the refractive index of the tube body of each light-emitting tube being equal to or less than 1.47, the refractive index of the adhesive layer being 1.47-1.50, nor the refractive index of the supporter being equal to or higher than 1.50.

Bhagavatula et al. do disclose the refractive index of a tube body of each lightemitting tube being equal to or less than 1.47 (column 10, lines 66-67: Corning Code 7740 Pyrex has an index of refraction of 1.47, and fig. 2).

Koike et al. do disclose the refractive index of an adhesive layer being 1.47-1.50 (paragraph 177).

Todokoro does disclose the refractive index of a supporter being equal to or higher than 1.50 (paragraph 176).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the refractive indices disclosed by Bhagavatula et al, Koike et al., and Todokoro into the light-emitting tube array display device disclosed as prior art by Applicants in order to reduce optical reflectivity (paragraph 176 of Todokoro).

4. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Applicants' admitted prior art and Todokoro as applied to claims 1,2,3 above, and further in view of Hiroshi (U.S. Patent 5875013).

With regard to claim 5.

Applicants disclose as prior art the light-emitting tube array display device.

Applicants do not disclose as prior art the supporter being a flexible resin sheet.

Hiroshi discloses the supporter being a flexible resin sheet (column 16, lines 54-59).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate a flexible resin sheet disclosed by Hiroshi into the light-emitting tube array display device disclosed by the Applicants as prior art in order provide for a durable display device.

5. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Applicants' admitted prior art, Todokoro, and Hiroshi as applied to claim 5 above, and further in view of Bhagavatula et al. (U.S. Patent 5984747), Koike et al. (U.S. Pre-grant Publication 2003/0176124), and Kubota et al. (U.S. Pre-grant Publication 2002/0050783).

With regard to claim 6,

Applicants disclose as prior art the light-emitting tube array display device.

Applicants do not disclose as prior art the tube body of each light-emitting tube being made of borosilicate glass, the flexible resin sheet being made of polyethylene terephthalate, and the adhesive layer being made of acrylic resin.

Bhagavatula et al. do disclose a tube body of each light-emitting tube being made of borosilicate glass (column 10, lines 66-67).

Koike et al. do disclose an adhesive layer being made of acrylic resin (paragraph 32).

Kubota et al. do disclose the flexible resin sheet being made of polyethylene terephthalate (paragraph 44).

Art Unit: 2879

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the materials disclosed by Bhagavatula et al., Koike et al. and Kubota et al. into the light-emitting tube array display device disclosed by the Applicants as prior art in order to reduce optical reflectivity.

6. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Applicants' admitted prior art and Todokoro as applied to claims 1,2,3 above, and further in view of Kubota et al. (U.S. Pre-grant Publication 2002/0050783).

With regard to claim 9,

Applicants disclose as prior art the light-emitting tube array display device.

Applicants do not disclose as prior art one or more film(s) or substrate(s) having a refractive index higher than that of the supporter, the one or more film(s) or substrate(s) being disposed on a display surface side of the supporter in such a manner that their refractive indices increase successively with distance from the supporter.

Kubota et al. do disclose one or more film(s) or substrate(s) having a refractive index higher than that of a supporter, the one or more film(s) or substrate(s) being disposed on a display surface side of the supporter in such a manner that their refractive indices increase successively with distance from the supporter (paragraphs 138,139 and fig 8).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the additional layers disclosed by Kubota et al. into the light-emitting tube array display device disclosed by Applicants as prior art in order to reduce optical reflectivity.

7. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Applicants' disclosed prior art and Todokoro as applied to claims 1,2,3 above, and further in view of Bhagavatula et al. (U.S. Patent 5984747).

With regard to claim 10,

Applicants disclose as prior art the light-emitting tube array display device.

Applicants do not disclose as prior art a rear side substrate abutting a surface of each light-emitting tube opposite to the flat portion so that the light-emitting tube array is held between the supporter and the rear side substrate.

Bhagavatula et al. do disclose a rear side substrate abutting a surface of each light-emitting tube opposite to the flat portion so that the light-emitting tube array is held between the supporter and the rear side substrate (24 of fig 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the rear side substrate disclosed by Bhagavatula et al. into the light-emitting tube array display device disclosed by Applicants as prior art in order to firmly fix the tube array within the device.

## Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. U.S. Patents 3602754, 6864631, U.S. Pre-grant Publications 2001/0054871, 2003/0156080, 2001/0053029, 2001/0028216.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher M. Raabe whose telephone number is 571-272-8434. The examiner can normally be reached on m-f 7am-3:30pm.

Application/Control Number: 10/716,398 Page 10

Art Unit: 2879

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel can be reached on 571-272-2457. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CR

ASHOK PATEL PRIMARY EXAMINER